



“YOUR ONE STOP SHOP”

CATALOG

3275 SW 42ND ST
Ft Lauderdale, Fl. 33312
TELEPHONE: 954327-3465
FACSIMILE: 954-584-9465

14 SW 3rd Ave
Dania, Fl 33004
TELEPHONE: 954-922-1429
FACSIMILE: 954-922-1698

www.gproulx.com

G. Proulx Building Materials LLC

“Our service makes the difference”

G Proulx Building Materials has been serving South Florida’s fast paced construction industry since 1979. Our reputation and success is based on our thorough understanding of the construction market and the special needs of our customers. Our two million dollar inventory and complete fleet of trucks allow us to professionally service all jobs, from the most complicated commercial project to the simple residential remodel. We have established ourselves in the market place as a supplier that prides itself in the quality and variety of our products, the high level of service we provide and our commitment to customer satisfaction above all else.

We at G. Proulx believe that in order to properly service our customers we must establish and maintain individual relationships. It is necessary to completely understand the people we serve and the special needs of different construction projects. In the construction industry situations change day to day and no job ever goes exactly as originally planned. We train our employees to be open to these changes and quick to respond in order to help our customers keep their clients happy and their projects moving ahead. We also feel that it is important to maintain strong ties and open lines of communication with our vendors so that we may have product information and manufacturers support readily available for our customers.

Our state of the art facility is conveniently located just west of the Ft Lauderdale/Hollywood International airport. The design of our warehouse, along with our hours of operation, allows quick and easy pick up of materials on the way to your job sites. We also offer “one stop shopping” with a showroom that carries a full line of tools and accessories for the trade. The size of our warehouses enables us to carry a wide variety of materials to meet the needs of our customers.

Incorporating these ideas into our everyday operations and the mindset of our staff allows us to build long lasting relationships that are beneficial to all involved. It is this philosophy that has enabled us to grow and become a leader in our industry.

Table of Contents

Page

Lumber, Plywood, Decking & Cedar Shingles	3
Metal Framing & Metal Lath	12
Rebar, Rebar Accessories, Visqueen & Road Mesh	16
Drywall, Exterior Sheathing, Joint Compound & Setting Compound	20
Metal Beads, Vinyl Beads, Trims & Tapes	24
Cement, Finish Lime, Wall & Ceiling Texture, Stucco, Thoro Products, Bonding Agents & Thinset	28
Batt Insulation, SAFB, Safing, Thermax, Tuff-R, Foamulars & House Wrap	31
Fasteners & Caulking	34
Roofing Products	41
Equipment	45
Tools	47
Hollow Metal Doors & Frames, Windows, Wood Doors & Hardware	50
Specialty Items	50
Conversion Charts	54

**LUMBER
PLYWOOD
DECKING
CEDAR SHINGLES**

Section: BOARDS

Category: 1X Grade #2 and D S3S PT SYP

Description	Length	UM
1 X 2	8' Thru 16'	PC
1 X 3	10' Thru 16'	PC

Category: 1X Grade #2 and #D S4S PT & Brite SYP

Description	Length	UM
1 X 4	8' Thru 16'	PC
1 X 6	8' Thru 16'	PC
1 X 6	8' Thru 16' #105, T&G, BC	PC
1 X 8	8' Thru 16'	PC
1 X 8	10' Thru 16' #105, T&G, BC	PC
1 X 10	8' Thru 16'	PC
1 X 12	8' Thru 16'	PC

Section: DIMENSIONAL LUMBER

Category: 2X, Grade #1 and #2 S4S PT & Brite SYP

Description	Length	UM
2 X 4	8' Thru 20'	PC
2 X 6	8' Thru 26'	PC
2 X 8	8' Thru 26'	PC
2 X 10	8' Thru 26'	PC
2 X 12	8' Thru 26'	PC

Section: DIMENSIONAL LUMBER (Fire Treated)

Category: 2X Grade #2 S4S Fire Treated

Description	Length	UM
2 X 4	8' Thru 10'	PC
2 X 6	8' Thru 10'	PC

Section: TIMBERS

Category: 3X #1 S4S PT SYP

Description	Length	UM
3 X 4	8' Thru 26'	PC
3 X 6	8' Thru 26'	PC
3 X 8	8' Thru 26'	PC
3 X 10	8' Thru 26'	PC
3 X 12	8' Thru 26'	PC

Category: 4X #1 S4S PT SYP

Description	Length	UM
4 X 4	8' Thru 20'	PC
4 X 6	8' Thru 20'	PC
4 X 8	8' Thru 24'	PC
4 X 10	8' Thru 24'	PC
4 X 12	8' Thru 24'	PC

Category: 6X & 8X #1 S4S PT SYP

Description	Length	UM
6 X 6	8' Thru 24'	PC
6 X 8	8' Thru 20'	PC
6 X 10	8' Thru 24'	PC
6 X 12	8' Thru 20'	PC
8 X 8	8' Thru 20'	PC

❖ **Cypress, Douglas Fir, Western Red Cedar Timbers available on special order request**

Section: ROUGH SAWN LUMBER

Category: 1X, 2X & 3X #2 PT SYP

Description	Length	UM
1 X 4	12' Thru 16'	PC
1 X 6	12' Thru 16'	PC
1 X 8	12' Thru 16'	PC
1 X 10	16'	PC
1 X 12	16'	PC
2 X 4	10' Thru 20'	PC
2 X 6	10' Thru 20'	PC
2 X 8	10' Thru 20'	PC
2 X 10	12' Thru 20'	PC
2 X 12	12' Thru 20'	PC
3 X 4	10' Thru 20'	PC

Category: Western Red Cedar

Description	Length	UM
2 X 8	8' Thru 20'	PC
1 X 2	10'	PC

Section: PLYWOOD (Pine)

Category: CDX, BCX & ACX SYP PT & Brite

Description	Size	UM
4 X 8	1/4" Thru 3/4"	PC

Category: Sturdifloor SYP PT & Brite, T&G

Description	Size	UM
4 X 8	3/4"	PC

Category: Mill Certified Sheathing

Description	Size	UM
4 X 8	19/32"	PC

Section: PLYWOOD (T111)

Category: 4"OC SS Deco PT & Brite

Description	Size	UM
4 X 8	3/8" Thru 3/4"	PC

Category: 8"OC SS Deco PT & Brite

Description	Size	UM
4 X 8	5/8"	PC

Category: RB+B 12"OC R/5 PT & Brite

Description	Size	UM
4 X 8	5/8"	PC

Section: PLYWOOD (EXTERIOR)

Category: Fir AC Brite

Description	Size	UM
4 X 8	3/4"	PC

Category: Fir AB Brite

Description	Size	UM
4 X 8	1/4" Thru 3/4"	PC

Category: Fir AB Marine Brite

Description	Size	UM
4 X 8	1/4" Thru 3/4"	PC

Section: PLYWOOD (FIRE TREATED)

Category: CDX Pyroguard

Description	Size	UM
4 X 8	1/2" Thru 3/4"	PC

Section: PLYWOOD (FORMING)

Category: BB SYP O+ES

Description	Size	UM
4 X 8	5/8" And 3/4"	PC

Category: Douglas Fir MDO

Description	Size	UM
4 X 8	3/4"	PC

Category: C+C+ OES

Description	Size	UM
4 X 8	3/4"	PC

Section: PLYWOOD (FORMING) Cont.

Category: Film Faced

Description	Size	UM
4 X 8	3/4"	PC

Category: Sturdifloor O+ES

Description	Size	UM
4 X 8	5/8" And 3/4"	PC

Section: PLYWOOD (CABINET)

Category: C-2 White Birch

Description	Size	UM
4 X 8	1/4" Thru 3/4"	PC

Category: D-2 White Birch

Description	Size	UM
4 X 8	3/4"	PC

Category: EE White Birch

Description	Size	UM
4 X 8	3/4"	PC

Category: C+C Elliottis Pine

Description	Size	UM
4 X 8	3/4"	PC

Category: Okume

Description	Size	UM
4 X 8	1/4" Thru 3/4"	PC

Section: CYPRESS & SPRUCE

Category: Cypress 1X #2 S4S Tongue & Groove VIS

Description	Length	UM
1 X 6	8' Thru 16'	PC

Category: Spruce 2X #2 S4S

Description	Length	UM
2 X 4	8' Thru 16'	PC
2 X 6	8' Thru 16'	PC
2 X 8	16' Only	PC

Category: Spruce 1X #2 S4S

Description	Length	UM
1 X 3	8' Thru 16'	PC
1 X 4	8' Thru 16'	PC
1 X 6	8' Thru 16'	PC
1 X 8	8' Thru 16'	PC
1 X 10	8' Thru 16'	PC
1 X 12	8' Thru 16'	PC

Section: STANDARD DECKING & PREMIUM DECKING

Category: 5/4X & 2X #2 and D Grade SYP E4E 90-DEGREE PT

Description	Length	UM
5/4 X 6 (Standard)	12' & 16'	PC
5/4 X 6 (Premium)	10', 12' & 16'	PC
2 X 6 (Premium)	10' Thru 16'	PC

Section: CEDAR SHINGLES, SHAKES & SHIMS

Category: Western Red Cedar Shingles Treated and Non Treated

Description	Length	UM
#1 Perfections	18"	BNDL
#2 Perfections	18"	BNDL
#1 Perfections (Treated)	18"	BNDL

Description	Length	UM
#1 Hip & Ridge	5/8" X 24"	BNDL
#1 Hip & Ridge (Treated)	5/8" X 24"	BNDL

Description	Length	UM
Medium Cedar Shakes	1/2" X 24"	BNDL

Category: Cedar Shims and Cedar Breather

Description	Length	UM
10/10 Cedar Shims	16"	BNDL
Cedar Breather (Obdyke Brand)	200 SF	RL

METAL FRAMING

METAL LATH

Section: LT GAUGE METAL STUD, TRACK & ACCESSORIES

Category: Ultra Steel & Pro Stud 25gauge Metal Stud & *Track

Description	Length	UM
1-5/8"	8' Thru 16'	PC
2-1/2"	8' Thru 12'	PC
3-5/8"	8' Thru 16'	PC
6"	8' Thru 19'	PC

❖ Track in stock for all above stud in 1-1/4" high leg 10' lengths

Category: 25gauge Steel Framing Accessories

Description	Length	UM
1-1/4" Single Leg Channel	12'	PC
1-1/2" 90-Degree Angle	10'	PC
1-1/2" 135-Degree Angle	10'	PC
2" 90-Degree Angle	10'	PC
7/8" Hi Hat	8' Thru 16'	PC
1-1/2" Hi Hat	10' Thru 12'	PC
1-1/2" "Z" Furring	10'	PC

Category: Ultra Steel & Pro Stud 20gauge Metal Stud & *Track

Description	Length	UM
1-5/8"	8' Thru 16'	PC
2-1/2"	8' Thru 12'	PC
3-5/8"	8' Thru 24'	PC
6"	8' Thru 24'	PC

❖ Track in stock for all above stud in 1-1/4" high leg 10' lengths

Category: 20gauge Steel Framing Accessories

Description	Length	UM
1-1/2" 90-Degree Angle	10'	PC
1-1/2" 135-Degree Angle	10'	PC
2" 90-Degree Angle	10'	PC
7/8" Hi Hat	12' Thru 16'	PC
1-1/2" Hi Hat	10' Thru 12'	PC
1" Z Furring	10'	PC
1-1/2" Z Furring	10'	PC
4" & 6" Flat Metal Backing	10'	PC
2-1/2" Thru 6" Flex C Track	10'	PC

Section: LT GAUGE SHAFTWALL & CSJ

Category: 25 & 20gauge Shaftwall Metal Stud & Track

Description	Length	UM
2-1/2" CH Stud	10' Thru 12'	PC
2-1/2" J-Track (tabbed)	10'	PC

Category: 20gauge CSJ Stud & Track

Description	Length	UM
8" CSJ Stud	10'	PC
8" CSJ Track	10'	PC

Section: HEAVY GAUGE CSJ STUD, TRACK & ACCESSORIES

Category: 18gauge CSJ Stud & Track

Description	Length	UM
3-5/8" Stud	10' Thru 12'	PC
6" Stud	10' Thru 12'	PC
3-5/8" & 6" Track	10'	PC

Category: 18gauge Steel Framing Accessories

Description	Length	UM
2" Angle	10'	PC
3" Angle	10'	PC
6" Flat Metal Backing	10'	PC

Category: 16gauge CSJ Stud and Track

Description	Length	UM
3-5/8" Stud	10' Thru 12'	PC
6" Stud	10' Thru 12'	PC
3-5/8" Track	10'	PC
6" Track	10'	PC

Category: 16gauge Steel Framing Accessories

Description	Length	UM
3" Angle	10'	PC
6" Flat Metal Backing	10'	PC
1-1/2" channel	16'	PC

Section: METAL LATH & ACCESSORIES

Category: Diamond, Tilath & HI-RIB

Description	Size	UM
2.5 Diamond Flat	27" X 8'	PC
3.4 Diamond Flat	27" X 8'	PC
2.5 Diamond V-Groove	27" X 8'	PC
3.4 Diamond V-Groove	27" X 8'	PC
2.5 Tilath Paperback V-Groove	27" X 8'	PC
3.4 Tilath Paperback V-Groove	27" X 8'	PC
3.4 3/8 HI-RIB	27" X 8'	PC

Category: Metal Lath Accessories

Description	Length	UM
Expanded Corner Bead	8' Thru 10'	PC
1/2" Expansion Joint	10'	PC
3/4" Expansion Joint	10'	PC
1/2" Casing Bead	10'	PC
5/8" Casing Bead	10'	PC
3/4" Casing Bead	10'	PC
2" x 2" Corner Lath	8'	PC
3" x 3" Corner Lath	8'	PC
4" Strip Lath	8'	PC
6" Strip Lath	8'	PC

Section: FLEX TRACK AND ANGLES

Category: Drywall Flexible Tracks & Angles

Description	Size	UM
Flexible Track 20gauge 10'	2-1/2" Thru 6"	PC
Flexible Angle 20gauge 10'	2-1/2" X 2-1/2"	PC

❖ Note: Other framing steel, lengths, widths & gauges available upon request.

**REBAR
REBAR ACCESSORIES
VISQUEEN
ROAD MESH**

- ❖ **Our rebar forming facility offers a comprehensive line of rebar products. We provide experienced detailing services, standard & custom bends and forming accessories**

Section: REBAR & ACCESSORIES

Category: Grade 60 Black, Galvanized, & Epoxy Coated

Description	Length
Black Galvanized Size #3 Thru #18	Cut, Fabricated, & Tagged to Order
Epoxy Sizes #3 Thru #15	20'

- ❖ #3 rebar weight is .376 lb/lf
- ❖ #4 rebar weight is .668 lb/lf
- ❖ #5 rebar weight is 1.043 lb/lf
- ❖ #6 rebar weight is 1.502 lb/lf
- ❖ #7 rebar weight is 2.044 lb/lf
- ❖ # 8 rebar weight is 2.67 lb/lf
- ❖ # 9 rebar weight is 3.40 lb/lf
- ❖ # 10 rebar weight is 4.303 lb/lf
- ❖ # 11 rebar weight is 5.313 lb/lf
- ❖ # 14 rebar weight is 7.65 lb/lf
- ❖ #18 rebar weight is 13.6 lb/lf

❖ Same Day Emergency Fabrication Orders Available for Pick Up

Category: Black Annealed Bar Ties

Description	Length	UM
Bar Ties (4M per/bag)	5.5"	BG
Bar Ties (4M per/bag)	7.5"	BG
Bar Ties (4M per/bag)	9"	BG
16Gauge Tie Wire (20rolls per/box)	3-1/2lbs	BX

Section: REBAR & ACCESSORIES Cont.

Category: Slab Bolsters, Continues and Upper Hi Chairs, Metal and Plastic IHC

Description	Size	UM
Slab Bolsters	3/4" Thru 2"	EA
Continues Hi-Chairs (PDT)	2-1/2" Thru 6-1/2"	EA
Upper Continues Hi-Chairs (PDT)	3/4" Thru 6-1/2"	EA
GTI Individual Plastic Chairs	3/4" Thru 6-1/2"	EA
IHC Individual Metal Chairs (PDT)	1-1/2" Thru 12"	EA
Footing Chairs	16" And 20"	EA

** (PDT) Plastic Dipped Tips **

Category: Drill Ties and Snap Ties

Description	Size	UM
2-1/8" Drill Ties (50 per/bndl)	7-5/8" Thru 24"	BNDL
2-1/4" Drill Ties (50 per/bndl)	7-5/8" Thru 24"	BNDL
2-3/4" Snap Ties w/cone (100 per/box)	7-5/8"	BX
4-3/4" Snap Ties w/cone (100 per/box)	7-5/8" Thru 24"	BX
8-1/4" Snap Ties w/cone (100 per/box)	8-1/4" Thru 24"	BX

Note: Drill Tie Bits, Drill Ties Shoes and Omni Wedges in stock for above

Category: Cavity Caps , Expansion Joint , Stakes and Banding

Description	Size	UM
CMU Cavity Caps (200 per/box)	8"	BX
1/2" X 4" Expansion Joint	10'	PC
1/2" X 6" Expansion Joint	10'	PC
1" X 3' Expansion Joint	10'	PC
Round Stakes W/Holes	18" Thru 48"	EA
3/4" X .020 Perforated Banding	100lb	RL

Section: VISQUEEN

Category: Clear Poly

Description	Width	UM
1.5MIL X 200'	12'	RL
4MIL X 100'	10' Thru 20'	RL
6MIL X 100'	10' And 20'	RL
8MIL X 100'	20'	RL
10MIL X 100'	20'	RL
15MIL X 100'	20'	RL

Section: MESH & LADDER

Category: Road Mesh

Description	Length	UM
6 X 6 10/10 6'	150'	RL
6 X 6 10/10 5'	200'	RL
6 X 6 6/6 8' Wire Mat	20'	SHT
6 X 6 10/10 8' Wire Mat	20'	SHT
6 X 6 8/8 8' Wire Mat	20'	SHT

❖ Other Sizes Available on Special Order Request

Category: Durowall

Description	Length	UM
8" Ladur-type (47pcs per/bnl)	500'	BL
6" Ladur-type (47pcs per/bnl)	500'	BL

**DRYWALL
EXTERIOR SHEATHING
JOINT COMPOUND
&
SETTING COMPOUND**

Section: DRYWALL/ BACKER BOARD/ EXT SHEATHING
--

Category: 1/4" Drywall/ Backer board / Exterior sheathing

Description	Length	UM
1/4" X 4' Regular	8'	PC
1/4" X 4' Flex board	8'	PC
1/4" X 4' Dens Shield	4'	PC
1/4" X 4' Dens Deck "PRIMED"	8'	PC

Category: 1/2" Drywall / Backer board / Exterior sheathing

Description	Length	UM
1/2" X 4' Regular	8' Thru 12'	PC
1/2" X 4' Fire-Rated	8' And 12'	PC
1/2" X 4' XP	8' And 12'	PC
1/2" X 4' Kalkore	8' And 12'	PC
1/2" X 4' Aqua Tough	8'	PC
1/2" X 4' Dens Armor Plus	8' Thru 12'	PC
1/2" X 4' Dens Shield	5' And 8'	PC
1/2" X 4' Dens Glass	8'	PC

Category: 5/8" Drywall Type X (FIRE-CODE)

Description	Length	UM
5/8" X 4'	8' Thru 12'	PC
5/8" X 4' Moisture Resistant	8' Thru 12'	PC
5/8" X 4' Kalkore	8' And 12'	PC
5/8" X 4' Hi-Abuse Kalkore	8' And 12'	PC
5/8" X 4' Aqua Tough	8'	PC
5/8" X 4' Extend Exposure	8'	PC
5/8" X 4' Hi-Impact XP	8' Thru 12'	PC
5/8" X 4' Dens Armor Plus	8' And 12'	PC
5/8" X 4' Dens Shield	8'	PC
5/8" X 4' Dens Glass	8'	PC
5/8" x 4' Sound Break	8'	PC

Category: 1" UltraShaft & XP Coreboard

Description	Length	UM
1" X 2'	8' Thru 12'	PC

❖ **Other gypsum-related products, lengths & widths available upon request.**

Section: QUIETROCK

Category: 1/2" and 5/8" Quietrock wall board

Description	Length	UM
1/2" X 4' "Basic"	8'	PC
5/8" X 4' "Relief"	8'	PC
5/8" X 4' "Ultra-Steel"	8'	PC
5/8" X 4' "Serenity"	8'	PC
5/8" X 4' "Solitude"	8'	PC

Section: CEMENT BOARD

Category: 1/2" and 5/8" Perma-base, Durock & Hardi-backer

Description	Length	UM
1/4" X 4' Perma-Base	4'	PC
1/2" X 4' Perma-Base and Durock	8'	PC
1/2" X 3' Perma-Base and Durock	5'	PC
1/2" X 4' Flex Board	8'	PC
1/2" X 4' Hardi-Backer	8'	PC
5/8" X 4' Perma-Base and Durock	8'	PC
5/8" X 3' Perma-Base and Durock	5'	PC

Section: VERSA-ROCK

Category: 3/4" Tongue and Groove 2S Uncal. Sealed

Description	Length	UM
3/4" X 4'	8'	PC

Section: JOINT COMPOUNDS / SETTING COMPOUNDS

Category: Joint compounds

Description	Lid Color	UM
5 Gallon Proform (National Brand)	Black	CN
4.5 Gallon Proform "Lite" (National Brand)	Blue	CN
4.5 Gallon Plus 3 "Lite" (USG Brand)	Blue	CN
5-Gallon Sheetrock (USG Brand)	Green	CN
4.5 Gallon Rapid Coat (Lafarge)	Green	CN
4.5 Gallon Level 5 Rapid Deco (Lafarge)	White	CN
5 Gallon Joint Compound (GP)	Blue	CN

Category: Setting compounds

Description	Size	UM
5-Minute Stay Smooth (National Brand)	18lb	BG
20-Minute Stay Smooth (National Brand)	18lb	BG
45-Minute Stay Smooth (National Brand)	18lb	BG
90-Minute Stay Smooth (National Brand)	18lb	BG
5-Minute Easy Sand (USG Brand)	18lb	BG
20-Minute Easy Sand (USG Brand)	18lb	BG
45-Minute Easy Sand (USG Brand)	18lb	BG
90-Minute Easy Sand (USG Brand)	18lb	BG

Category: Fire Rated Compound

Description	Size	UM
Fire Compound (USG Brand)	15lb	BG

Category: Primer / Surfacer

Description	Size	UM
Tuff-Hide (USG Brand)	5-Gallon	CN

**METAL BEADS
VINYL BEADS
TRIMS
&
TAPES**

Section: METAL BEADS & TRIMS

Category: Metal Corner Beads, J-Beads, L-Beads and Casing Beads

Description	Length	UM
1-1/4" Corner Bead	7' Thru 12'	PC
1-1/4" 135-Degree Corner Bead	10'	PC
1-1/4" Veneer Corner Bead	10'	PC
3" Flange Expanded Corner Bead	8' And 10'	PC
3" Flange Expanded Corner Bead (zinc)	10'	PC
90-Degree Bull-nose Corner Bead	10'	PC
135-Degree Bull-nose Corner Bead	8' Thru 10'	PC
1/2" Casing Bead	10'	PC
5/8" Casing Bead	10'	PC
3/4" Casing Bead	10'	PC
1" Casing Bead	10'	PC
1-1/4" Casing Bead	10'	PC
*All above casing beads also stocked in zinc		
1/2" J-Bead	10'	PC
5/8" J-Bead	10'	PC
1/2" L-Bead	10'	PC
5/8" L-Bead	10'	PC

Category: Trims

Description	Length	UM
90-Degree Smart Series	10'	PC
90-Degree Smart Series Arch Bead	10'	PC
3/4" Radius Smart Series Bull-nose	10'	PC
3.25" Ultra Lite (No-Coat Brand)	100'	RL
4" Ultra Flex (No-Coat Brand)	100'	RL
2" Flex Bead "Sure Corner"	100'	RL
90-Degree I/S Corner Bead (USG Brand)	10'	PC
135-Degree O/S Corner Bead (USG Brand)	10'	PC
90-Degree S-Wide O/S CBead (USG Brand)	10'	PC

Section: DRYWALL & PLASTER VINYL TRIMS

Category: Drywall & Plaster Vinyl Trims

Description	Length	UM
1-1/4" Corner Bead	8' And 10'	PC
1-1/4" Arch Bead	10'	PC
1-1/4" 120-Degree Arch Bead	10'	PC
1/2" J-Bead	10'	PC
5/8" J-Bead	10'	PC
1/2" L-Bead	10'	PC
5/8" L-Bead	10'	PC
1/2" Ceiling Trim	10'	PC
5/8" Ceiling Trim	10'	PC
3/4" Radius Bull-nose Corner Bead	10'	PC
3/4" Radius 120-Degree Bull-nose C-Bead	10'	PC
3/4" Radius Bull-nose Arch Bead	10'	PC
3/4" Radius I/S Corner Cap 2-w Bull-nose	10'	PC
3/4" Radius O/S Corner Cap 2-w Bull-nose	10'	PC
3/4" Bull-nose Transition Cap		
1/16" Control Joint	10'	PC
2-1/2" X 2-1/2" #1 Stucco Bead	8' And 10'	PC
2-1/2" X 2-1/2" #1 Arch Bead	10'	PC
4-1/2" X 4-1/2" #40 C-Bead	10'	PC
1/2" X 1-3/4" Casing Bead	10'	PC
5/8" X 1-3/4" Casing Bead	10'	PC
3/4" X 1-3/4" Casing Bead	10'	PC
1" X 1-3/4" Casing Bead	10'	PC
1-1/4" X 1-3/4" Casing Bead	10'	PC
1-1/2" X 1-1/2" Casing Bead	10'	PC
1/2" X 4" Control Joint	10'	PC
5/8" X 4" Control Joint	10'	PC
3/4" X 4" Control Joint	10'	PC
3/8 X 3" Soffit Vent	10'	PC
3/8 X 4" Soffit Vent	10'	PC

Section: TAPES

Category: Drywall, Masking, Fiberglass, Foil, Window and Duct Tape

Description	Length	UM
2" USG Durock Tape	250'	RL
2" Fiberglass Mesh Tape	300'	RL
2" Fiberglass Mesh Tape (National Brand)	300'	RL
2" Drywall Tape (20-Rolls per/box)	250'	RL
2" Drywall Tape (10-Rolls per/box)	500'	RL
2" Aluminum Foil Tape	150'	RL
3" Aluminum Foil Tape	150'	RL
3" FSK Tape	150'	RL
1/2" Masking Tape	180'	RL
1" Masking Tape	180'	RL
1-1/2" Masking Tape	180'	RL
2" Masking Tape	180'	RL
2" Window Tape (Green or Blue)	180'	RL
2" Stucco Tape (Red or Yellow)	180'	RL
2" Duct Tape	180'	RL
8" Electrical Outlet Repair (10-per/pk)	8"	PK
4" Straight Flex "Huge"	100'	RL
2-1/2" Straight Flex	100'	RL
2" Mudless Drywall Fire	250'	RL

**CEMENT
FINISH LIME
WALL & CEILING
STUCCO
THORO PRODUCTS
BONDING AGENTS
&
THINSETS**

Section: CONVENTIONAL PLASTER PRODUCTS

Category: Portland, Masonry, Blended and Stucco

Description	Size	UM
Portland Cement Type 1 (Grey)	94.6 lb	BG
Portland Cement Type 1 (White)	94.6 lb	BG
Sand Mix	80 lb	BG
Concrete Mix Pre-Blended	80 lb	BG
Structolite (USG Brand)	50lb	BG
2-Way Hard Wall (National Brand)	100lb	BG
Gypsolite (National Brand)	80lb	BG
Mortar Mix Type M (Grey)	80 lb	BG
Mortar Mix Type M (White)	80 lb	BG
Mortar Mix Hi Strength Type M or S	80 lb	BG
Mortar Mix Pre-Blended Type S	80 lb	BG
Stucco (Titan Brand)	80 lb	BG
Stucco (Rinker Brand)	80 lb	BG
Stucco Pre-Blended (Amerimix Brand)	80 lb	BG
Stucco (Marblecrete Brand)	80 lb	BG

***Marblecrete colors in stock:**

Polar White, Linen, Harvest, Sandy Beige, Shadow White, Jute, Hilltop, Conch, Pink Coral, Mushroom, Beach and Sea-foam Green

Section: INDUSTRIAL PLASTER / WALL & CEILING

Category: Industrial Plasters

Description	Size	UM
#1 Molding Plaster (USG Brand)	100lb	BG
#1 Molding Plaster (USG Brand)	50lb	BG
Hydrocal Plaster White (USG Brand)	100lb	BG
FGR95 Hydrocal Plaster(USG Brand)	100lb	BG

Category: Base Coat and Veneer Plasters

Description	Size	UM
Uni-kal Plaster	50lb	BG
Woncote Smooth	50lb	BG
Woncote Sanded	50lb	BG
Diamond Interior Finish	50lb	BG

Section: LIME & FIBERS

Category: Finish lime, Limoid and Microfibers

Description	Size	UM
Finish Lime Snowdrift	50 lb	BG
Finish Lime Western	50 lb	BG
Type "S" Super Limoid	50 lb	BG
Microfibers 3/4"	1 lb	BG
Microfibers 1"	1 lb	BG

Section: THORO PRODUCTS / BONDING AGENTS
--

Category: Thoroseal, Thorobond, Water Plug, Acryl 60 and Bonding Agents

Description	Size	UM
Thoroseal (Grey)	5-Gallon	CN
Thoroseal (White)	5-Gallon	CN
Thoroseal (Grey)	1-Gallon	CN
Water Plug	5-Gallon	CN
Water Plug	1-Gallon	CN
Acryl 60	5-Gallon	CN
Acryl 60	1-Gallon	CN
Acryl 60	1-Quart	CN
Thorobond	5-Gallon	CN
Thorobond	1-Gallon	CN
Bonding Agent (White)	5-Gallon	CN
Bonding Agent (Blue)	5-Gallon	CN
Bonding Agent (White)	1-Gallon	CN
Bonding Agent (Blue)	1-Gallon	CN

Section: THINSET / CLAY

Category: Sanded Thinset and Clay

Description	Size	UM
Grey Sanded Thinset (Prospec)	50 lb	BG
White Sanded Thinset (Prospec)	50 lb	BG
Carotex Clay	50 lb	BG

**BATT INSULATION
SAFB & SAFING
THERMAX
TUFF R
FOAMULARS
&
HOUSE WRAP**

Section: BATT INSULATION & FOIL BACKER

Category: R8 TO R30 Faced and Un-faced

Description	Size	UM
R8 2-1/2" Un-faced	16" X 96" (213.33 SF/BN DL)	BG
R8 2-1/2" Un-faced	24" X 96" (320 SF/BDL)	BG
R11 3-1/2" Un-faced	16" X 96" (170.67 SF/BDL)	BG
R11 3-1/2" Un-Faced	24" X 96" (256 SF/BDL)	BG
R11 3-1/2" Un-faced	24" X 48" (256 SF/BDL)	BG
R11 3-1/2" Kraft Faced	16" X 96" (170.67 SF/BDL)	BG
R11 3-1/2" Kraft Faced	24" X 96" (256 SF/BDL)	BG
R11 3-1/2" Foil Faced	16" X 96" (170.67 SF/BDL)	BG
R19 6-1/4" Un-faced	16" X 96" (85.33 SF/BDL)	BG
R19 6-1/4" Un-faced	24" X 48" (128 SF/BDL)	BG
R19 6-1/4" Kraft Faced	16" X 96" (85.33 SF/BDL)	BG
R19 6-1/4" Kraft Faced	24" X 96" 128 SF/BDL)	BG
R19 6-1/4" Kraft Faced	24" X 48" (128 SF/BDL)	BG
R30 9-1/2" Kraft Faced	24" X 48" (88 SF/BDL)	BG
R30 9-1/2" Kraft Faced	16" X 48" (58.67 SF/BDL)	BG

Category: HiPerm Fi-Foil 16" and 24"

Description	Size	UM
AA-2 R4.1	16" (500 SF/ROLL)	BG
AA-2 R4.1	24" (500 SF/ROLL)	BG

Section: SOUND ATTENUATION FIRE BLANKET & SAFING

Category: Sound Attenuation Fire Blanket

Description	Size	UM
2" R7.6 2.5lb-Density	16" X 48" (53.33 SF/BAG)	BG
2" R7.6 2.5lb-Density	24" X 48" (80 SF/BAG)	BG
3" R11.4 2.5lb-Density	16" X 48" (32 SF/BAG)	BG
3" R11.4 2.5lb-Density	24" X 48" (48 SF/BAG)	BG

Category: Safing

Description	Size	UM
4" R16 4lb-Density	24" X 48" (32 SF/BAG)	BG

Section: THERMAX , TUFF-R , FOAMULARS & HOUSE WRAP

Category: Thermax and Tuff -R

Description	Size	UM
3/4" Thermax R5.0	4' X 8'	PC
1" Thermax R6.5	4' X 8'	PC
1-1/2" Thermax R9.8	4' X 8'	PC
2" Thermax R13.0	4' X 8'	PC
3/4" Tuff-R R5.0	4' X 8'	PC
1" Tuff-R R6.5	4' X 8'	PC
1-1/2" Tuff-R R9.8	4' X 8'	PC

Category: Foamular and Dow Blue board

Description	Size	UM
3/4" Foamular R3.8	4' X 8'	PC
1" Foamular R5.0	4' X 8'	PC
1-1/2" Foamular R7.5	4' X 8'	PC
2" Foamular R10.0	4' X 8'	PC
3/4" Dow Blue Board R3.8	4' X 8'	PC
1" Dow Blue Board R5.0	4' X 8'	PC
1-1/2" Dow Blue Board R7.5	4' X 8'	PC
2" Dow Blue Board R10.0	4' X 8'	PC

Category: House Wrap

Description	Size	UM
Dow Weathermate Wrap (White)	9' X 150'	RL

FASTENERS & CAULKING

Section: DRYWALL/FRAMING/DUROCK SCREWS

Category: Fine & Coarse Drywall Screws

Description	Size	UM
Fine Sharp Point (Bugle Head)	1" Thru 3"	BX
Coarse Sharp Point (Bugle Head)	1" Thru 3"	BX
Fine Sharp Point Zinc (Bugle Head)	1" Thru 3"	BX
Fine Self Tap Zinc (Bugle Head)	1" Thru 3"	BX
Fine Sharp Point Zinc (Wafer Head)	9/16" Thru 1-5/8"	BX
Fine Self Tap Zinc (Wafer Head)	3/4" Thru 1-5/8"	BX

Bugle Head Box Quantities: 1" = 10,000: 1-1/8" = 10,000: 1-1/4" = 8,000: 1-5/8" = 5,000: 2" = 3,500: 2-1/2" = 2,500: 3" = 2,000 (All sizes also available in 5lb boxes)

Wafer Head Box Quantities: 1/2" = 10,000: 9/16" = 10,000: 1" = 5,000: 1-1/4" = 5,000: 1-5/8" = 4,000 (All sizes also available in 5lb boxes)

Category: Framing Screws

Description	Size	UM
Pan Head Sharp Point	7/16"	BX
Pan Head Self Tap Zinc	7/16"	BX

Box Quantities: 7/16" = 15,000

Category: Wood & Metal Durock Screws

Description	Size	UM
Wood Sharp Point	1-1/4" And 1-5/8"	BX
Metal Self Tap	1-1/4" And 1-5/8"	BX

Box Quantities: 1-1/4" = 8,000: 1-5/8" = 5,000 (All sizes also available in 5lb boxes)

Section: STAINLESS AND GRABBERGARD DECK SCREWS

Category: Stainless Steel Square Dr Deck Screws

Description	Length	UM
#6 Diameter Type 300 Series	1-1/4"	BX
#8 Diameter Type 300 Series	1-5/8" Thru 2"	BX
#9 Diameter Type 300 Series	2-1/2" Thru 3"	BX
#10 Diameter Type 300 Series	3-1/2" Thru 4"	BX

Box Quantities: 1-1/4" = 5,000 : 1-5/8" = 4,000 : 2" = 3,000 : 2-1/2" = 2000 :
3" = 1,500 : 3-1/2" = 1,000 : 4" = 1,000

Category: GrabberGard Square Drive Deck Screws

Description	Length	UM
#8 Diameter Flat Head	1-1/2" And 2"	BX
#9 Diameter Flat Head	2-1/2" And 3"	BX
#10 Diameter Flat Head	3-1/2" And 4"	BX

Box Quantities: 1-1/2" = 5,000: 2" = 3,000: 2-1/2" = 2,500: 3" = 2,000:
3-1/2" = 1,000: 4" = 1,000

Section: STAINLESS STEEL NAILS

Category: Common , Finish , Roof , Siding and Shake / Shingle

Description	Length	UM
Common Nails Type 300 Series	1-1/4" Thru 6"	BX
Finish Nails Type 300 Series	1-1/4" Thru 3"	BX
Roof Nails Type 300 Series	1" Thru 1-1/2"	BX
Siding Nails Type 300 Series	1-1/2" And 2"	BX
Shake/Shingle Type 300 Series	1-1/4" Thru 2"	BX

Box Quantities: 25lb box

Section: HOT DIPPED GALVANIZED

Category: Hot Dip Commons, Hot Dip Deck and Hot Dip Finish

Description	Size	UM
Common	1-1/4" Thru 6"	BX
PT Deck A/T	2" Thru 6"	BX
PT Deck S/T	2" Thru 6"	BX
Finish	1" Thru 3"	BX

Box Quantities: 50lb box

Section: DUPLEX, CUT , ROOFING AND STUB NAILS

Category: Brite Duplex Nails and Cut Nails

Description	Size	UM
Brite Duplex	2" Thru 3-1/2"	BX
Cut Nails Domestics	1-1/4" Thru 4"	BX
Cut Nails Imports	1-1/4" Thru 4"	BX

Box Quantities: 50lb box

Category: EG Roof Nails, Copper Roof Nails and Stub Nails

Description	Size	UM
EG Smooth Shank Roof	3/4" Thru 1-1/2"	BX
Copper Roof	3/4" Thru 1-1/4"	BX
Stub	3/8" Thru 1-1/2"	BX

Box Quantities: Stub & EG 50lb box: Copper 25lb box

8D and 16D	Electro Galvanized
8D and 16D	Brt Common Nails
1 1/2'	Joist Hanger Nails

Section: PNEUMATIC NAILS

Category: Coil Nails

Description	Length	UM
EG Smooth 15-Deg .131 Shank	2-1/2" Thru 3-1/4"	BX
EG Ring 15-Deg .131 Shank	2-1/2"	BX
Brite Smooth 15-Deg .131 Shank	2-1/2"	BX
Ring Shank .120 Dade Approved	1-1/4"	BX
Smooth Shank .120	1-1/4" And 1-1/2"	BX
Hard Case 15-Deg .099 Shank	1-1/2"	BX
Screw Shank Blunt Chisel .099	2"	BX

Box Quantities: Hard Case 1-1/2" = 12,000: Ring and Smooth 1-1/4" = 7,200:
EG and Brite Smooth 2-1/2" = 4,500: EG Ring 2-1/2" = 4,000 :

Category: T-Nails

Description	Length	UM
T-Nail	5/8" Thru 2-1/4"	BX
Brad T-Nail	5/8" And 1-1/4"	BX
Finish T-Nails	1-1/4" And 2"	BX

Box Quantities: T-Nail 5/8", 1-3/8" & 2-1/4" = 2,500: Brad 5/8" = 3, 5000:
Brad 1-1/4" = 3,000: Finish 1-1/4" & 2" = 3,500

Section: SHOTS & PINS, TAPCONS & ANCHOR BOLTS
--

Category: Shots and Pins

Description	Caliber	UM
Brown Shots (100 per/box)	22 Thru 27	BX
Green Shots (100 per/box)	22 Thru 27	BX
Yellow Shots (100 per/box)	22 Thru 27	BX
Red Shots (100 per/box)	25 And 27	BX
Drive Pins Steel (100 per/box)	1/2" Thru 1-1/8"	BX
Drive Pins Concrete (100 per/box)	3/4" Thru 3"	BX
Drive Pins Concrete w/washer (100 per/box)	1" Thru 3"	BX
Track Fast Pins (1000 per/box)	1/2" Thru 1-1/2"	BX

Category: Hot Dipped Galvanized Anchor Bolts w/Nuts & Washers

Description	Length	UM
1/2" HDG Anchor Bolts (50 per/box)	6" Thru 12"	BX
5/8" HDG Anchor Bolts (25 per/box)	6" Thru 18"	BX
3/4" HDG Anchor Bolts (25 per/box)	16" Thru 24"	BX

Category: 3/16" & 1/4" Flat Head Tapcons

Description	Length	UM
3/16" Phillips Flat Head Blue (100 per/box)	1-1/4" Thru 4"	BX
1/4" Phillips Flat Head Blue (100 per/box)	1-1/4" Thru 5"	BX
3/16" Phillips Flat Head White (100 per/box)	1-3/4" Thru 3-1/4"	BX
1/4" Phillips Flat Head White (100 per/box)	1-3/4" Thru 4"	BX

Category: 3/16" & 1/4" Hex Head Tapcons

Description	Length	UM
3/16" Hex Head White (100 per/box)	1-1/4" Thru 4"	BX
1/4" Hex Head White (100 per/box)	1-3/4" Thru 6"	BX

Section: CAULKING

Category: Silicone, Polyseam, Acrylics and Latex

Description	Size	UM
Construction Adhesive	10.5 oz	EA
Construction Adhesive	29 oz	EA
Builders Choice Latex	10.5 oz	EA
OSI HM270 Clear Silicone	10.5 oz	EA
OSI HM27 White Silicone	10 oz	EA
Vulkem 921 Polyurethane Smooth White	10 oz	EA
Polyseamseal 40year White	10.3 oz	EA
Polyseamseal Lifetime White	10.3 oz	EA
Tremstop Acrylic Firecaulk-Red	10.3 oz	EA
Tremstop Acrylic Firecaulk-Red	28.7 oz	EA
Tremstop Acrylic Firecaulk-Red	5-Gallon	CN
Tremstop Acrylic Firecaulk-Red Spray	5-Gallon	CN
Tremstop Intumescent Fry-Caulk	10.1 oz	EA
Tremstop Intumescent Fry-Caulk	28.7 oz	EA

ROOFING PRODUCTS

Section: FELTS AND MEMBRANES

Category: Felt Paper

Description	Size	UM
15# Felt Paper	3' X 144'	RL
30# Felt Paper (NON-DADE)	3' X 72'	RL
30# Felt Paper (DADE)	3' X 72'	RL
15lb Cut Felt	2" X 144'	RL
90# Atlas MSR Asphalt (DADE)	3' X 36'	RL
90# Owens Corning Asphalt	3' X 33.3'	RL

Colors: Atlas: White Only

Owens: Forest Green, Spanish Red, Desert Tan and Shasta White

Category: Membranes

Description	Size	UM
Grace Ice & Water Shield	3' X 75'	RL
MFM Wind & Water Shield	3' X 66.6'	RL
MFM Peel & Seal .45Mil 33.5'	4" Thru 36"	RL

Colors: White and Aluminum

Polybond Torch-down White	3' X 33.3'	RL
Polystick TU Plus	3' X 66.6'	RL

Section: ASPHALT PRODUCTS

Category: Roof Cement, Foundation Coatings, Lap Cement, Roof Coatings and Steep

Description	Size	UM
Plastic Roof Cement	1-Quart Thru 5-Gallon	CN
Plastic Roof Cement (DCA)	1-Gallon And 5-Gallon	CN
Wet & Dry Roof Cement (DCA)	5-Gallon	CN
Fiber Roof Coating (DCA)	5-Gallon	CN
Foundation Coating	5-Gallon	CN
Fiber Aluminum Coating	5-Gallon	CN
Non Fiber Aluminum Coating	5-Gallon	CN
Cold Process & Lap Cement	5-Gallon	CN
Elastomeric Roof Coating	5-Gallon	CN
Driveway Sealer	5-Gallon	CN
Steep Type-4	100lb	EA

Category: Fabric

Description	Length	UM
4" Asphalt Fabric	150'	RL
6" Asphalt Fabric	150'	RL

Section: ROOF METALS & ROOF ACCESORRIES
--

Category: Drip Edge, Flashing and Angle

Description	Size	UM
Galvanized Flashing 26ga 50'	12" Thru 36"	RL
Copper Flashing	12" Thru 24"	RL
Galvanized Drip Edge 10'	1-1/2" Thru 3"	PC
White Aluminum Drip Edge 10'	2" And 3"	PC
Copper Drip Edge 10'	2" And 3"	PC
Vinyl Drip Edge 10'	1-1/2" Only	PC
Roof Angle 26ga 10'	4" X 5"	PC
Roof Angle 26ga 10'	5" X 7"	PC

Section: ROOF METALS & ROOF ACCESORRIES Cont.

Category: Tin Tabs, Vents and Lead Stakes

Description	Size	UM
Tin Caps Non-Dade (50lb box)	1-5/8"	BX
Tin Caps Dade (50lb box)	1-5/8"	BX
Button Caps (2000 per/box)	7/8"	BX
Aluminum Vents (24 per/box)	4" X 16"	BX
Aluminum Vents (24 per/box)	8" X 16"	BX

Finishes: White and Mill

EQUIPMENT

Section: EQUIPMENT

Category: Perry Scaffolding and Carts

Description	Size	UM
4' Scaffold	Elite and Classic	EA
6' Scaffold	Elite and Classic	EA
4' Scaffold	Fold Up	EA
6' Scaffold	Fold Up	EA
Guardrail Kit	6'	EA
Truss Bracket	6'	EA
Brake Casters	5"	EA
Outriggers		EA
Drywall Cart	High-tech Casters	EA

Category: Demo and Cleaning Equipments

Description	Size	UM
Trash Dumpster	1/2 Yard	EA
Trash Dumpster	1 Yard	EA
Push Brooms		EA
Scrapers		EA
Shovels		EA
Ladders	4', 6', 8'	EA
Hoses		EA
Nozzles		EA

Category: Safety Equipments

Description	Size	UM
Hard Hats		EA
Harness	Small Thru XXL	EA
Lanyards		EA
Dust Mask	50 Per Box	BX
Ear Plugs	200 Per Box	BX
First Aid Kits	Small & Large	EA
Back Supports	Small Thru XXL	EA
Eye Protection		EA
Gloves	Small Thru XXL	EA
Portable Fire Extinguisher Stands		EA
Caution Tape		RL

Category: Generators, Compressors and Sprayers

Description	Size	UM
Generators (Various)		EA
Compressor (DeWalt)		EA
Compressor (Rol-Air)		EA
Sprayers (Graco)	Gas and Electric	EA

TOOLS

Section: TOOLS

❖ **Tools by leading Manufacturers such as: DeWalt, Hitachi, Porter Cable, Grayco, Ramset, Marshalltown, PLS, Tape Tech**

Category: Power Tools

Description	Size	UM
Screw Gun		EA
Drills	3/8" and 1/2"	EA
Skill Saw	7 1/4"	EA
Chop Saw	12"	EA
Miter Saw	12" and 14"	EA
Reciprocating Saw		EA
Grinders	4"	EA
Lasers (PLS & DeWalt)		EA
Vacuum Sanders		EA

Category: Pneumatic Tools

Description	Size	UM
Roof Nailers		EA
Framing Nailers		EA
Pin Guns		EA
Track Fast Guns		EA

Category: Taping Tools by Tape Tech

Description	Size	UM
Bazooka		EA
Boxes	8", 10", 12"	EA
Gooseneck		EA
Pumps		EA
Corner Rollers		EA

Category: Hand Tools

Description	Size	UM
USG Sheetrock Tools		EA
Acoustical Tools		EA
Stilts (Marshall Town)		EA
Extension Cords	50' and 100'	EA
Levels	2', 4', 6'	EA
Caulk Guns		EA
Staple Guns		EA

Section: TOOLS Cont.

Category: Hand Tools

Description	Size	UM
Clinch On Tools		EA
Zip Wall Products		EA
Measuring Tape		EA
Chalk Line		EA
Pans		EA
Knives		EA
Other Miscellaneous Hand Tools		EA

Hollow Metal Doors & Frames

Hollow Metal Doors
Hollow Metal Frames
Acoustical Doors
Lead Lined Doors & Frames
Bullet Resistant Doors
Louvers
Lites
Fire Labels
Fire Rated Frames & Doors
*In-House Custom Frame Manufacturing Capabilities

Specialty & Architectural Doors

Wood Doors
MDF Doors
Fiberglass Doors
STC Doors
Mineral Core
Pre-hung (*In-House)
Fire Rated
Residential & Commercial
*In-House Custom Frame & Door Modifications

Architectural Hardware

Cylindrical Locks
Mortise Locks
Closers
Exit Devices
Hinges
Push / Pull / Kick Plates
Stops
Store Front Hardware
Card Readers
Electric Locks
Access Control Devices
*Commercial & Residential

Millwork

Cove
Crown
Casing
Base
Boards
LDF
Poplar
Exotic Species
*Custom Millwork

Windows

Aluminum Windows
Wood Windows
Wood Clad – Aluminum Windows
Vinyl Windows
Store Front
PGT – Traco – Peachtree – Jeld-Wen - Korus

SPECIALTY ITEMS

Section: GUTTER, FRP PANEL, CEILING TILES, EFIS,

WOOD CONNECTOR, ACCESS PANELS & LEAD DRYWALL HOLLOW METAL DOORS & FRAMES

Wood Construction Connectors:

In stock: **Simpson Strong-Tie Connectors**, we stock an assortment of standard connectors from hangers and clips to straps, post bases and anchors. All standard items not available from stock have a 2 to 3 day lead time.

PVC Gutter:

In stock: **Plasmo's** 5" 1/2-Round vinyl gutter with round downspouts. All connectors for assembly in stock as well. K-Snap is available upon request.

FRP Panels:

In stock: **Panolam Industries** Class C Embossed FRP Panels, including white, gray, almond, ivory, beige and black colors. 10' matching color vinyl trims. Including dividers, end caps, outside corners and inside corners

Ceiling Tile:

In stock: **USG's** ceiling tile profiles, including Aspen, Astro, Cleanroom, Sheetrock Brand Lay-in, Eclipse, Premier Nubby, Radar, Fissured, Fresco, Frost, Glacier, Halcyon, Mars, Millennia, Olympia, Orion and Sandrift in 2X2 and 2X4 sizes. Standard 15/16 Donn Grid Systems, includes 9/16" Fineline and Centricitee Grid profiles.

EIFS System:

In stock: **Senergy System's**, Starter rolls, FlexGuard meshes, Alpha Dry and Alpha premix bases, Tinted Primes, Finishes including Fine, Classic, Belgian Lace and Color Coats, Corner Grid and 1/8" Permalath. We can professionally tint all primers, finishes and color coats to your color preference.

Access Doors:

In Stock: **Williams Brothers** access doors, including general purpose, drywall, plaster, fire-rated and plastic doors in sizes from 8X8 to 36X36 dimensions.

CONVERSION TABLES

DRYWALL ESTIMATOR

	PANELS		JOINT COMPOUND Ready to Use	JOINT TAPE	FASTENERS	
	4' x 8'	4' x 12'			Nails	Screws
100 sq ft	4	3	15.43 lbs	37 ft	200	125
200 sq ft	7	5	28.66 lbs	74 ft	400	250
300 sq ft	10	7	41.89 lbs	111 ft	600	375
400 sq ft	13	9	55.12 lbs	148 ft	800	500
500 sq ft	16	11	70.55 lbs	185 ft	1000	625
600 sq ft	19	13	83.77 lbs	222 ft	1200	750
700 sq ft	22	15	97.00 lbs	259 ft	1400	875
800 sq ft	25	17	110.23 lbs	296 ft	1600	1000
900 sq ft	29	19	125.66 lbs	333 ft	1800	1125
1000 sq ft	32	21	138.89 lbs	370 ft	2000	1250
1100 sq ft	35	23	152.12 lbs	407 ft	2200	1375
1200 sq ft	38	25	167.20 lbs	444 ft	2400	1500
1300 sq ft	41	28	180.78 lbs	481 ft	2600	1625
1400 sq ft	44	30	194.00 lbs	518 ft	2800	1750
1500 sq ft	47	32	207.23 lbs	555 ft	3000	1875
1600 sq ft	50	34	222.66 lbs	592 ft	3200	2000
1700 sq ft	54	36	235.89 lbs	629 ft	3400	2125
1800 sq ft	57	38	249.12 lbs	666 ft	3600	2250
1900 sq ft	60	40	262.35 lbs	703 ft	3800	2375
2000 sq ft	63	42	277.78 lbs	740 ft	4000	2500
2100 sq ft	66	44	291.01 lbs	777 ft	4200	2625
2200 sq ft	69	46	304.23 lbs	814 ft	4400	2750
2300 sq ft	72	48	317.46 lbs	851 ft	4600	2875
2400 sq ft	75	50	332.89 lbs	888 ft	4800	3000
2500 sq ft	79	53	346.12 lbs	925 ft	5000	3125
2600 sq ft	82	55	359.35 lbs	962 ft	5200	3250
2700 sq ft	85	57	374.78 lbs	999 ft	5400	3375
2800 sq ft	88	59	388.01 lbs	1036 ft	5600	3500
2900 sq ft	91	61	401.24 lbs	1073 ft	5800	3625
3000 sq ft	94	63	414.46 lbs	1110 ft	6000	3750

AREA		
From	To	Multiply By
sq inches	sq millimeters	645.16
sq millimeters	sq inches	0.001550
sq inches	sq centimeters	6.452
sq centimeters	sq inches	0.155
sq feet	sq centimeters	929.03
sq centimeters	sq feet	0.001076
sq meters	sq feet	10.76
sq feet	sq meters	0.0929
sq yards	sq meters	0.8361
sq meters	sq yards	1.196
sq miles	sq kilometers	2.5899
sq miles	hectares	0.25899
hectares	sq miles	3.8612
sq kilometers	sq miles	0.3861
acres	sq meters	4046.86
sq meters	acres	0.0002471
acres	hectares	0.4047
hectares	acres	2.471

LENGTH		
From	To	Multiply By
inches	millimeters	25.4
millimeters	inches	0.0394
inches	centimeters	2.54
centimeters	inches	0.3937
feet	meters	0.3048
meters	feet	3.281
yards	meters	0.9144
meters	yards	1.094
miles	kilometers	1.609
kilometers	miles	0.6214

VOLUME

From	To	Multiply By
cu inches	cu centimeters	16.39
cu centimeters	cu inches	0.06102
cu inches	cu decimeters	16.387
cu feet	cu meters	0.02832
cu meters	cu feet	35.315
cu feet	cu inches	1728
cu feet	cu decimeters	28.316
cu yards	cu meters	0.7646
cu meters	cu yards	1.308

EQUIVALENTS

1 centimeter	= 10 millimeters
1 decimeter	= 10 centimeters
1 meter	= 100 centimeters
1 kilometer	= 1000 meters
1 sq meter	= 10,000 sq centimeters
1 cu meter	= 1,000,000 cu centimeters

EQUIVALENTS

1 foot	= 12 inches
1 yard	= 3 feet
1 mile	= 1760 yards
1 sq foot	= 144 sq in.
1 sq yard	= 9 sq feet
1 acre	= 4850 sq yd
1 sq mile	= 640 acres

DECIMAL EQUIVALENTS OF COMMON FRACTIONS			
$1/2 = .5000$	$1/8 = .1250$	$2/3 = .6667$	$4/5 = .8000$
$1/3 = .3333$	$1/9 = .1111$	$2/5 = .4000$	$5/6 = .8333$
$1/4 = .2500$	$1/10 = .1000$	$3/4 = .7500$	$5/8 = .6250$
$1/5 = .2000$	$1/16 = .0313$	$3/5 = .6000$	$7/8 = .8750$
$1/6 = .1667$	$1/32 = .03125$	$3/8 = .3750$	$7/10 = .7000$
$1/7 = .1429$	$1/64 = .0156$	$3/10 = .3000$	$9/10 = .9000$

CEILING TILE MATERIALS ESTIMATOR

USE THIS CHART WHEN MAIN TEES RUN THE WIDTH OF THE ROOM

ROOM SIZE	SQ FEET	12' WALL	12' MAIN	4' TEES	2' TEES IF 2X2 TILES
8X10	80	4	2	9	12
8X12	96	4	2	9	12
8X14	112	5	3	11	12
10X10	100	4	3	10	14
10X12	120	5	2	12	10
10X14	140	5	4	14	15
10X16	160	6	3	16	15
12X12	144	5	2	15	12
12X14	168	6	4	18	18
12X16	192	6	3	20	18
12X20	240	7	4	25	24
14X16	224	6	4	24	28
14X20	280	7	5	30	28
14X22	308	8	7	33	35
14X26	364	8	9	39	42
16X16	256	7	4	28	24
16X18	288	7	7	32	32
16X20	320	8	6	35	32
16X24	384	8	7	42	40
16X28	448	9	8	59	48
18X18	324	8	8	36	27
18X20	360	8	6	40	36
18X24	432	9	8	48	45
18X28	504	10	9	56	54
18X32	576	10	11	64	63
20X20	400	8	7	45	40

USE THIS CHART WHEN MAIN TEES RUN THE LENGTH OF THE ROOM

ROOM SIZE	SQ FEET	12' WALL	12' MAIN	4' TEES	2' TEES IF 2X2 TILES
8X10	80	4	2	8	5
8X12	96	4	2	10	6
8X14	112	5	2	12	12
10X10	100	4	3	12	14
10X12	120	5	2	15	18
10X14	140	5	5	18	20
10X16	160	6	5	21	30
12X12	144	5	3	15	12
12X14	168	6	5	18	14
12X16	192	6	5	24	16
12X20	240	7	4	27	30
14X16	224	6	6	28	31
14X20	280	7	8	36	39
14X22	308	8	8	35	33
14X26	364	8	9	42	39
16X16	256	7	6	28	24
16X18	288	7	8	32	27
16X20	320	8	6	36	40
16X24	384	8	6	44	48
16X28	448	9	8	52	50
18X18	324	8	8	36	27
18X20	360	8	9	41	30
18X24	432	9	10	50	36
18X28	504	10	12	59	42
18X32	576	10	14	68	48
20X20	400	8	7	45	40

